

Description

Relationship Building Method for Automated Services

Background of the Invention

5 **1. Field of the Invention**

The present invention relates generally to taking orders for goods and services over telephone or a computer network, and in particular, for taking such orders automatically while building a relationship data base.

10 **2. Description of Related Art**

United States Patent Number 5,915,246 (Patterson et al.) shows an ATM type service "which operates in a predictive manner, in that when a user enters their card, the machine identifies the user, predicts the transaction most likely to be requested by that user, and presents one or more relevant messages, such as 'Do you require £20?' or 'Do you require a mini statement?', in accordance with that user's

15 habitual transaction request or requests." It is a fully automated system for a customer who is present at the machine, with only customer intervention, and it is designed to work only with existing customers.

Both United States Patent Number 5,737,726 (Cameron et al.) and United

20 States Patent Number 5,832,451 (Flake et al.) show systems where the customer communicates directly with an agent. The computer system retains customer preferences and other information, but it works through a human agent.

The Internet has numerous web sites with automatic ordering, but such sites for ordering books or music are not adapted for repeat orders of the same or similar

25 products and do not allow for product specification, such as is common in ordering pizza, where a customer will specify size, toppings and crust type. In addition, the systems do appear to be equally adaptable for network or telephone access.

Summary of the Invention

In a preferred arrangement, the present invention, a relationship building method for automated services includes the steps of receiving a contact from a client such as by telephone or over the Internet or other computer network, looking for the client in a client data base, and if the client is in the client data base, then welcoming the client by name. If the client is calling by telephone and does not like auto attendant, then the client is transferred to a customer service representative. If the goods are delivered or the services are rendered from many different locations, then the client is transferred to a customer representative located near the client.

Otherwise, the client is presented with an option of one or more services or goods that are usual for the client as determined by the client data base. If the client selects one of the usual services or goods, then the client request is processed, but if the client does not select one of the usual services or goods, then the client is presented with a list of services or goods from which to select, the new request is entered into the client data base, and the client request is processed.

If, however, the client is not in the client data base, then the client is welcomed and asked for billing and delivery information. The client billing and delivery information is then entered into the client data base. The client is then presented with a list of services or goods from which to select and the new request is also entered into the client data base, and the client request is processed.

In another preferred arrangement of a relationship building method for automated services according to the present invention, processing the client request further includes the steps of, if the client is in the client data base, presenting the client with an option of one or more methods for delivery of services or goods that are usual for the client as determined by the client data base, and if the client selects one of the usual methods of delivery, then further processing the client request. If the client does not select one of the usual methods of delivery, then the client is presented with a list of delivery methods from which to select, entering the new

method into the client data base and the client request is further processed. If, on the other hand, the client is not in the client data base, then the client is presented with a list of delivery methods from which to select and the new method selected by the client is entered into the client data base, and the client request is further processed.

5 In yet another arrangement of a relationship building method for automated services according to the present invention in which the services are rendered or the goods are distributed from a plurality of locations, further processing the client request includes creating a plurality of web pages on a computer network, corresponding to the plurality of locations, and posting the client information and the client request information on a web page of the plurality of web pages corresponding to a location which is close to the client. In a preferred form, presenting the client with a list of services or goods from which to select includes the step of presenting a series of options regarding services or goods. For contact by telephone call from the client, the relationship building method further includes using telephone caller 10 identification, and looking for the client in a client data base includes determining what client or clients normally call from the identified telephone number. One preferred form of the relationship building method further includes communicating with the client is by means of interactive voice response.

15 If, after initial contact by telephone, the client is in the client data base and dials a predetermined speed dial number corresponding to predetermined services or goods, then an order is processed that corresponds to the speed dial number.

20 These and other objects, advantages and features of this invention will be apparent from the following description taken with reference to the accompanying drawing, wherein is shown a preferred embodiment of the invention.

25 **Brief Description of the Drawing**

FIGURE 1 is a flow diagram of a relationship building method for automated services, including processing orders and delivery of orders, according to the present invention;

FIGURE 2 is a flow diagram of a method for creating a relationship building data base according to the present invention;

FIGURE 3 is a flow diagram of the start of a relationship building method for automated services according to the present invention;

FIGURE 4 is a flow diagram of gathering information about a new customer in accordance with the present invention;

FIGURE 5 is a flow diagram of an ordering process according to the present invention;

FIGURE 6 is a flow diagram of a method for an interactive voice response for pickup and delivery instructions, according to the present invention;

FIGURE 7 is a flow diagram of a method for handling non-usual orders, according to the present invention;

FIGURE 8 is a flow diagram of a method for processing speed dial orders according to the present invention;

FIGURE 9 is a flow diagram of a method for processing orders through a customer service representative, the use of credit card payment and coupons, according to the present invention; and

FIGURE 10 is a flow diagram of a method for processing customer service representative pickup and delivery instructions.

Description of the Preferred Embodiments

Referring now to the drawing, and in particular to Figure 1, Figure 2 and Figure 3, in a preferred arrangement of the present invention, a relationship building method for automated services includes the steps of receiving a contact 12 from a client such as by telephone or over the Internet or other computer network and

looking 14 for the client in a client data base. Client is used here to include what is typically termed a "customer," and includes the potential purchaser of both goods and services. If the client is calling by telephone and does not like auto attendant, then the client is transferred 16 to a customer service representative. If the goods are delivered or the services are rendered from many different locations, then the client is transferred to a customer representative located near the client. If the client is in the client data base, then the client is welcomed 18, in a preferred form, by name. Referring also to Figure 5, the client is presented 20 with an option of one or more services or goods that are usual for the client as determined by the client data base. If the client selects one of the usual services or goods, then the client request is processed, but if the client does not select one of the usual services or goods, then the client is presented 22 with a list of services or goods from which to select, the new request is entered into the client data base, as described further on, and the client request is processed.

If, however, the client is not in the client data base, then the client is welcomed 24 and asked 26 for billing and delivery information. Referring to Figure 4, the client billing and delivery information is then entered into the client data base, in the embodiment illustrated: name 28, confirmation of name 30, zip code 32, confirmation of zip code 34, live in an apartment 36, apartment number 38, confirmation of apartment number 40, number of other telephone numbers 42, next number 44, confirmation of next number 46, pay by credit card 48, type of credit card 50, credit card number 52, expiration date 54 and confirmation of credit card number and expiration date 56. The client is then presented 22 with a list of services or goods from which to select and the new request is also entered into the client data base, in the embodiment illustrated, number of pizzas 58, type of pizza 60, type of crust 62, what size pizza 64, confirmation of size, type (topping) and crust 66, and make usual order 68, and the client request is processed.

Referring also to Figure 6, in another preferred arrangement of a relationship building method for automated services according to the present invention, processing the client request further includes the steps of, if the client is in the client data base, presenting the client with an option of one or more methods for delivery of services or goods, which might be those that are usual for the client as determined by the client data base, and if the client selects one of the usual methods of delivery, then further processing the client request. If the client does not select one of the usual methods of delivery, then the client is presented 70 with a list of delivery methods from which to select, entering the new method into the client data base and the client request is further processed. If, on the other hand, the client is not in the client data base, then the client is presented 70 with a list of delivery methods from which to select and the new method selected by the client is entered into the client data base, and the client request is further processed.

In yet another arrangement of a relationship building method for automated services according to the present invention in which the services are rendered or the goods are distributed from a plurality of locations, further processing the client request includes creating 72 a plurality of web pages on a computer network, corresponding to the plurality of locations, and posting the client information and the client request information on a web page of the plurality of web pages corresponding to a location which is close to the client. In a preferred form, presenting the client with a list of services or goods from which to select includes the step of presenting a series of options regarding services or goods. For contact by telephone call from the client, the relationship building method further includes using telephone caller identification, and looking for the client in a client data base includes determining 14 and 74 what client or clients normally call from the identified telephone number. One preferred form of the relationship building method further includes communicating with the client is by means of interactive voice response (IVR).

Referring now to Figure 8, if, after initial contact by telephone, the client is in the client data base and dials 76 a predetermined speed dial number corresponding to predetermined services or goods, then an order is processed that corresponds to the speed dial number.

5 The essence of the systemic relationship building model/engine is that on each contact the system expands its knowledge about the habits and likes of the company's clients, and re-enforces the corporate knowledge by repeating it or offering it to the client on subsequent contacts and thereby reaffirm the relationship.

10 For example, a spouse knows their mate's menu likes and dislikes as a matter of repetition and memory. Likewise, an existing customer calls in and a customer service representative or an operator asks them to pronounce their full name. The full name is recorded in their pronunciation and on all future calls, the name is whisper announced to the operator so that the operator knows the exact pronunciation from the clients own mouth. If a customer makes a variation on their
15 standard order - that variation is held in the data base and presented to the operator along with the primary preference on future client call ins.

Method of telephone processing on a regional or national number:

20 Currently the customer has the burden of finding the correct store and number. Under the systemic relationship system the customer's caller ID (ANI) would be captured and added to their preference profile. After the ANI preference profile is built, then by using a nation/regional wide number (800 or otherwise) the call will be automatically routed to the correct service location, often times before the customer hears the first ring on the telephone.

25 Current processing systems are incapable of advertising a national 800 number and processing the orders to the appropriate store. As a result, sale poaching is a problem in the current ordering systems, and would be eliminated with the relationship building system of this invention.

Method of order taking:

A key aspect of a great relationship is the ability to get it right the first time, which is actually a derivative of knowing their preferences and double checking. The systemic relationship model will achieve this by recording the order and using a dual entry quality control - when a call is received that flows into a live order processing operator the call would be recorded and reentered by a second operator. If a discrepancy is noted it would trigger a call back to ask for clarification.

The delivery address is confirmed via ANI look up from the client history data base, and subsequent customer input and if needed modified by a customer service representative interview with the client.

Also, based upon previous orders the system will learn the customer's preferred payment method (Cash or credit card).

Further, based upon the history of regular orders the preferred customer ANI would be identified and routed for preferred handling versus the current first come first served and being abruptly placed on hold - creating a less than favorable ordering experience - and no records of kept of the abandoned sales lost as a result of this process.

Method of order delivery:

There are three keys:

- Announcement telephone call 78 of next to be delivered
- A unique horn honk 80 or other audible announcing the arrival
- Confirmation 82 of the correct order being delivered

To enhance a relationship, a customer is provided a pre-delivery announcement telephone call. After each delivery the driver will notify the center of a correct delivery. That notification will in turn trigger an announcement call (could

be enhanced by a 2 way paging system or cellular internet connection where the driver logs each delivery as completed back to the center - also enhances safety by regularly identifying the driver's location) the center would make a computer generated call to announce to the next customer.

5 The call would announce to the customer that their pizza is next for delivery, the amount of the charge, the method of payment, and should arrive in the next few minutes, please listen for delivery signal "honk honk." The incorporation of a unique honk code that matches the company advertising ("haircut and a shave - two bits" level of brand recognition also similar to a party line unique ring) is a relationship
10 issue by establishing the next step and expectation.

 Further the call should confirm the correctness of the order by restating the order (via the recording) and allow for an IVR to make any corrections or adjustments. For example: "This is Pizza Company calling to let you know that your 2 large thin crust pepperoni pizzas are next for delivery, the total charge being
15 applied to your visa card is \$14.95. If this is correct please press any key. Thank you, for ordering - Now, please listen for the delivery signal 'honk honk' within the next few minutes"

 Note: the horn honk or other unique audible has a secondary benefit besides relationship uniqueness - it is also, a time tested and proven method to increase
20 dietary demand and reward recognition (e.g. Pavlov's dog experiments, and the age old dinner bell).

What about a second call in a short time from the last order:

 Second call from same ANT within predetermined time frames (e.g. 10
25 minutes of post scheduled delivery indicates an order problem and goes to live Customer service representative operator). The Customer service representative for disputes or order following should have their screen popped by ANT with the most recent order the deliver route map of that order a conference call link of the

producing store and the next closest store. Also, the client's name pronunciation should be whispered to the Customer service representative prior to the call being connected. The Customer service representative screen is enabled to place a priority order (next in oven) if required to correct an order.

5

Summary:

Each of the above requires a dynamic client history data base, a networked solution (internet or private network), and a call center integrated into each of them. The data base and the mining of the client history are at the center of the systemic relationship engine.

10

From the foregoing it will be seen that this invention is well adapted to attain all of the ends and objectives hereinabove set forth, together with other advantages which are inherent to the apparatus.

It will be understood that certain features and subcombinations are of utility and may be employed without reference to other features and subcombinations. This is contemplated by and is within the scope of the claims.

15

As many possible embodiments may be made of the invention without departing from the scope thereof, it is to be understood that all matter herein set forth or shown in the figures of the accompanying drawings is to be interpreted as illustrative and not in a limiting sense.

20

Patented May 19, 1993